

## 原著

### 英文

<網膜・硝子体>

1. Otsuka H, Arimura N, Sonoda S, Nakamura M, Hashiguchi T, Maruyama I, Nakao S, Hafezi-Moghadam A, Sakamoto T : Stromal cell-derived factor 1 is essential for photoreceptor cell protection in retinal detachment. Am J Pathol. 177: 2268-2277. 2010.
2. Fukuda M, Nakanishi Y, Fuse M, Yokoi N, Hamada Y, Fukagawa M, Negi A, Nakamura M : Altered expression of aquaporins 1 and 4 coincides with neurodegenerative events in retinas of spontaneously diabetic Torii rats. Exp Eye Res. 90:17-25. 2010.
3. Honda S, Nagai T, Kondo N, Fukuda M, Kusuhara S, Tsukahara Y, Negi A : Therapeutic effect of oral bisphosphonates on choroidal neovascularization in the human eye. J Ophthalmol. Volume 2010: 7. 2010.
4. Haruta M, Mukuno H, Nishijima K, Takagi H, Kita M. Sympathetic ophthalmia after 23-gauge transconjunctival sutureless vitrectomy. Clin Ophthalmol. 22:1347-1349. 2010.
5. Tagami M, Kusuhara S, Imai H, Uemura A, Honda S, Tsukahara Y, Negi A : MRP4 knockdown enhances migration, suppresses apoptosis, and produces aggregated morphology in human retinal vascular endothelial cells. Biochem Biophys Res Commun. 400 : 593-598. 2010.
6. Matsumiya W, Honda S, Imai H, Kusuhara S, Tsukahara Y, Negi A : A Case of Bilateral Macular Holes Showing Onset and Spontaneous Closure over Very Short Intervals. Case Report Ophthalmol. 13;1 : 47-52. 2010.
7. Prolonged blockade of VEGF receptors does not damage retinal photoreceptors or ganglion cells. Miki A, Miki K, Ueno S, Wersinger DM, Berlinicke C, Shaw GC, Usui S, Wang Y, Zack DJ, Campochiaro PA. 2010;224:262-72

<緑内障>

1. Naka M, Kanamori A, Negi A, Nakamura M : Reduced expression of aquaporin-9 in rat optic nerve head and retina following elevated intraocular pressure. Invest Ophthalmol Vis Sci. 51: 4618-4626. 2010.
2. Mizokami J, Yamada Y, Negi A, Nakamura M Postural changes of intraocular pressure affect the inter-eye difference both in visual field damage and retinal nerve fiber layer thickness reduction in the

same patients with primary open-angle glaucoma Graefes Arch. Clin.Exp.Ophthalmol. 21;2010

3. Kakutani Y, Nakamura M, Nagai-Kusuvara A, Kanamori A, Negi A : Marked cup reversal presumably associated with scleral biomechanics in a case of adult glaucoma. Arch Ophthalmol 128:139-141. 2010.
4. Murakami K, Meguro A, Ota M, Shiota T, Nomura N, Kashiwagi K, Mabuchi F, Iijima H, Kawase K, Yamamoto T, Nakamura M, Negi A, Sagara T, Nishida T, Inatani M, Tanihara H, Aihara M, Araie M, Fukuchi T, Abe H, Higashide T, Sugiyama K, Kanamoto T, Kiuchi Y, Iwase A, Ohno S, Inoko H, Mizuki N : Analysis of microsatellite polymorphisms within the GLC1F locus in Japanese patients with normal tension glaucoma. Mol Vis. 16: 462-466. 2010.
5. Suzuki M, Meguro A, Ota M, Nomura E, Kato T, Nomura N, Kashiwagi K, Mabuchi F, Iijima H, Kawase K, Yamamoto T, Nakamura M, Negi A, Sagara T, Nishida T, Inatani M, Tanihara H, Aihara M, Araie M, Fukuchi T, Abe H, Higashide T, Sugiyama K, Kanamoto T, Kiuchi Y, Iwase A, Ohno S, Inoko H, Mizuki N. Genotyping HLA-DRB1 and HLA-DQB1 alleles in Japanese patients with normal tension glaucoma. Mol Vis. 15:1874-9.2010.
6. The writing committee for the normal tension glaucoma genetic study group of Japan Glaucoma Society. Genome-wide association study of normal tension glaucoma: Common variants in SRBD1 and ELOVL5 contribute to disease susceptibility. Ophthalmology 117: 1331-1338. 2010.
7. Kanamori A, Catrinescu MM, Kanamori N, Mears KA, Beaubien R, Levin LA : Superoxide is an associated signal for apoptosis in axonal injury. Brain. 133 : 2612-2625. 2010.
8. Kanamori A, Catrinescu MM, Mahammed A, Gross Z, Levin LA : Neuroprotection against superoxide anion radical by metallocorroles in cellular and murine models of optic neuropathy. J Neurochem. 114 : 488-498. 2010.
9. Kanamori A,Catrinescu MM, Traistaru M, Beaubien R, Levin LA : In vivo imaging of retinal ganglion cell axons within the nerve fiber layer. Invest Ophthalmol Vis Sci. 51: 2011-2018. 2010.

<小児眼科、斜視・弱視、屈折>

1. Fujioka K ,Morioka I, Nozu K,,Nishimoto M, Amano M, Tagami M, Honda S, Yokoyama N, Yamada H, Iijima K and Matsuo M : A surviving case of papillorenal syndrome with the phenotype of Potter sequence. Pediatrics International 2010. In press.
2. Tagami M, Honda S, Morioka I, Matsuo M, Negi A:Bilateral Optic Disc Anomalies Associated with PAX2 Mutation in a Case of Potter Sequence. Case Report Ophthalmol.1:94-98. 2010.

和文

<小児眼科、斜視・弱視、屈折>

1. 福村美帆、野村耕治、河村真美、永井隆史：乳児内斜視の術後外斜視移行について 眼科臨床紀要 3(2) : 178-181、2010.
2. 河村真美、辰巳康子、福村美帆、野村耕治：出生直後より片眼の牛眼を呈した神経線維腫症の2例 眼科臨床紀要 3(8) : 776-781、2010.
3. 兼森良和：高周波メスを用いた眼瞼下垂手術 眼科手術 23 (1) : 106-109、2010